


NPS55-78-019

# NAVAL POSTGRADUATE SCHOOL

## Monterey, California



SIMULATION METHODS FOR POISSON PROCESSES  
IN NONSTATIONARY SYSTEMS

by

Peter A. W. Lewis

and

Gerald S. Shedler

AUGUST 1978

Approved for public release; distribution unlimited.

NAVAL POSTGRADUATE SCHOOL  
MONTEREY, CALIFORNIA

Rear Admiral Tyler F. Dedman  
Superintendent

Jack R. Borsting  
Provost

Reproduction of all or part of this report is authorized.

This report was prepared by:

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NPS55-78-019	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Simulation Methods for Poisson Processes in Nonstationary Systems		5. TYPE OF REPORT & PERIOD COVERED Technical
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Peter A. W. Lewis and G. S. Shedler		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, Ca. 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61153N, RRo14-05-01 N0001478WR80035
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Arlington, VA 22217		12. REPORT DATE August 1978
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Nonhomogeneous Poisson processes Simulation; intensity function Thinning algorithm; gap statistics		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  The nonhomogeneous Poisson process is a widely used model for a series of events (stochastic point process) in which the "rate" or "intensity" of occurrence of points varies, usually with time. The process has the characteristic properties that the number of points in any finite set of non-overlapping intervals are mutually independent random variables, and that the number of points in any of these intervals has a Poisson distribution. In this paper we first discuss several general methods for simulation of the		

## 20. ABSTRACT Continued.

one-dimensional nonhomogeneous Poisson process; these include time-scale transformation of a homogeneous (rate one) Poisson process via the inverse of the integrated rate function, generation of the individual intervals between points, and generation of a Poisson number of order statistics from a fixed density function.

We then state a particular and very efficient method for simulation of nonhomogeneous Poisson processes with log-linear rate function. The method is based on an identity relating the nonhomogeneous Poisson process to the gap statistics from a random number of exponential random variables with suitably chosen parameters. This method can also be used, at the cost of programming complexity and some memory, as the basis for a very efficient technique for simulation of nonhomogeneous Poisson processes with more complicated rate functions such as a log-quadratic rate function.

Finally, we describe a simple and relatively efficient new method for simulation of one-dimensional and two-dimensional nonhomogeneous Poisson processes. The method is applicable for any given rate function and is based on controlled deletion of points in a Poisson process with a rate function that dominates the given rate function. In its simplest implementation, the method obviates the need for numerical integration of the rate function, for ordering of points, and for generation of Poisson variates. The thinning method is also applicable to the generation of individual intervals between points, as is required in many programs for discrete-event simulations.

## SIMULATION METHODS FOR POISSON PROCESSES IN NONSTATIONARY SYSTEMS

Peter A. W. Lewis  
Naval Postgraduate School  
Monterey, California

Gerald S. Shedler  
IBM Research Laboratory  
San Jose, California

### ABSTRACT

The nonhomogeneous Poisson process is a widely used model for a series of events (stochastic point process) in which the "rate" or "intensity" of occurrence of points varies, usually with time. The process has the characteristic properties that the number of points in any finite set of nonoverlapping intervals are mutually independent random variables, and that the number of points in any of these intervals has a Poisson distribution. In this paper we first discuss several general methods for simulation of the one-dimensional nonhomogeneous Poisson process; these include time-scale transformation of a homogeneous (rate one) Poisson process via the inverse of the integrated rate function, generation of the individual intervals between points, and generation of a Poisson number of order statistics from a fixed density function.

We then state a particular and very efficient method for simulation of nonhomogeneous Poisson processes with log-linear rate function. The method is based on an identity relating the nonhomogeneous Poisson process to the gap statistics from a random number of exponential random variables with suitably chosen parameters. This method can also be used, at the cost of programming complexity and some memory, as the basis for a very efficient technique for simulation of nonhomogeneous Poisson processes with more complicated rate functions such as a log-quadratic rate function.

Finally, we describe a simple and relatively efficient new method for simulation of one-dimensional and two-dimensional nonhomogeneous Poisson processes. The method is applicable for any given rate function and is based on controlled deletion of points in a Poisson process with a rate function that dominates the given rate function. In its simplest implementation, the method obviates the need for numerical integration of the rate function, for ordering of points, and for generation of Poisson variates. The thinning method is also applicable to the generation of individual intervals between points, as is required in many programs for discrete-event simulations.

### 1. INTRODUCTION

The one-dimensional nonhomogeneous (nonstationary) Poisson process (see e.g., [5, pp. 28-29; 3, pp. 94-101]) has the characteristic properties that the numbers of points in any finite set of nonoverlapping intervals are mutually independent random variables, and that the number of points in any interval has a Poisson distribution. The most general nonhomogeneous Poisson process can be defined in terms of a monotone, nondecreasing, right-continuous function  $\Lambda(x)$  which is bounded in any finite interval. Then the number of points in any finite interval, for example  $(0, x_0]$ , has a Poisson distribution with parameter  $\mu_0 = \Lambda(x_0) - \Lambda(0)$ . In this paper we assume that  $\Lambda(x)$  is continuous, but not necessarily



absolutely continuous. The right derivative  $\lambda(x)$  of  $\Lambda(x)$  is the rate function for the process;  $\Lambda(x)$  is called the integrated rate function and has the interpretation that for  $x \geq 0$ ,  $\Lambda(x) - \Lambda(0) = E[N(x)]$ , where  $N(x)$  is the total number of points in  $(0, x]$ . Note that  $\lambda(x)$  may jump at points at which  $\Lambda(x)$  is not absolutely continuous. In contrast to the homogeneous Poisson process, i.e.,  $\lambda(x)$  a constant (usually denoted by  $\lambda$ ), the intervals between the points in a one-dimensional nonhomogeneous Poisson process are neither independent nor identically distributed.

Applications of the one-dimensional nonhomogeneous Poisson process include modelling of the incidence of coal-mining disasters [5], the arrivals at an intensive care unit [12], transaction processing in a data base management system [15], occurrences of major freezes in Lake Constance [23], and geomagnetic reversal data [22]. The statistical analysis of trends in a one-dimensional nonhomogeneous Poisson process, based on the assumption of an exponential polynomial rate function, is discussed by [4, 5, 12 and 15].

One-dimensional nonhomogeneous Poisson processes are often used as models for event streams when there is gross inhomogeneity in a system, e.g., time of day effect or long-term growth in use of a facility. It is important to be able to simulate these processes since analytic results are difficult to obtain. This is particularly true in the context of queueing systems; see e.g., [19]. The methods given here for simulation of the one-dimensional nonhomogeneous Poisson process have application, for example, to study of the length of a queue at a toll booth at a time corresponding to the peak traffic time, or to study of the arrivals at an intensive care unit where the probability of a

bed being free at a time corresponding to the peak of arrivals from afternoon operations is of interest. Note that in simulations of nonhomogeneous systems of this kind, estimates of measures of system behavior will be based on multiple replications.

The two-dimensional homogeneous Poisson process (of rate  $\lambda > 0$ ) is defined by the properties that the numbers of points in any finite set of nonoverlapping regions having areas in the usual geometric sense are mutually independent, and that the number of points in any region of area  $A$  has a Poisson distribution with mean  $\lambda A$ ; see e.g., [10, pp. 31-32]. Note that the number of points in a region  $R$  depends on its area, but not on its shape. The homogeneous Poisson process arises as a limiting two-dimensional point process with respect to a number of limiting operations; cf., [7,8]. Properties of the process are given in [18]. Applications of the two-dimensional homogeneous Poisson process to problems in ecology and forestry have been discussed in [24] and [9]. The model also arises in connection with naval search and detection problems.

The two-dimensional nonhomogeneous Poisson process is characterized by a (continuous) positive rate function  $\lambda(x,y)$ . Applications of the two-dimensional nonhomogeneous Poisson process include problems in forestry as well as naval search and detection. The detection and statistical analysis of trends in the two-dimensional nonhomogeneous Poisson process is discussed in [21].

## 2. SIMULATION OF THE ONE-DIMENSIONAL NONHOMOGENEOUS POISSON PROCESS

There are a number of methods for simulating one-dimensional nonhomogeneous Poisson process which we review briefly. Time-scale transformation of a homogeneous (rate one) Poisson process via the inverse

of the integrated rate function  $\Lambda(x)$  constitutes a first general method; cf. [3, pp. 96-97]. This method is based on the result that  $X_1, X_2, \dots$  are the points in a nonhomogeneous Poisson process with continuous integrated rate functions  $\Lambda(x)$  if and only if  $X'_1 = \Lambda(X_1), X'_2 = \Lambda(X_2), \dots$ , are the points in a homogeneous Poisson process of rate one. The time-scale transformation method is a direct analogue of the inverse probability integral transformation method for generating (continuous) nonuniform random numbers. For many rate functions, inversion of  $\Lambda(x)$  is not simple and must be done numerically; cf., [6] and [20]. The resulting algorithm for simulation of the nonhomogeneous Poisson process may be far less efficient than simulation based on other methods.

A second general method for simulating a one-dimensional nonhomogeneous Poisson process with integrated rate function  $\Lambda(x)$  is to generate the intervals between points individually, an approach which may seem more natural in the event scheduling approach to simulation. Thus, given the points  $X_1 = x_1, X_2 = x_2, \dots, X_i = x_i$ , with  $x_1 < x_2 < \dots < x_i$ , the interval to the next point,  $X_{i+1} - X_i$ , is independent of  $x_1, \dots, x_{i-1}$  and has distribution function  $F(x) = 1 - \exp[-\{\Lambda(x_i + x) - \Lambda(x_i)\}]$ . It is possible to find the inverse distribution function  $F^{-1}(\cdot)$ , usually numerically, and generate  $X_{i+1} - X_i$  according to  $X_{i+1} - X_i = F^{-1}(U_i)$ , where  $U_i$  is a uniform random number on the interval  $(0,1)$ . Note, however that this not only involves computing the inverse distribution function for each interval  $X_{i+1} - X_i$ , but that each distribution has different parameters and possibly a different form. An additional complication is that  $X_{i+1} - X_i$  is not necessarily a proper random variable, i.e. there may be positive probability that  $X_{i+1} - X_i$  is infinite. It is necessary to take this into account for each interval  $X_{i+1} - X_i$  before the inverse probability

integral transformation is applied. The method is therefore very inefficient with respect to speed, more so than the time-scale transformation method.

In a third method, simulation of a non-homogeneous Poisson process in a fixed interval  $(0, x_0]$  can be reduced to the generation of a Poisson number of order statistics from a fixed density function by the following result; cf., [5, p. 45]. If  $X_1, X_2, \dots, X_n$  are the points of the nonhomogeneous Poisson process in  $(0, x_0]$ , and if  $N(x_0) = n$ , then conditional on having observed  $n (> 0)$  points in  $(0, x_0]$ , the  $X_i$  are distributed as the order statistics from a sample of size  $n$  from the distribution function  $\{\Lambda(x) - \Lambda(0)\} / \{\Lambda(x_0) - \Lambda(0)\}$ , defined for  $0 < x \leq x_0$ . Simulation of the nonhomogeneous Poisson process based on order statistics is in general more efficient (with respect to speed) than either of the previous two methods. Of course, a price is paid for this greater efficiency. First, it is necessary to be able to generate Poisson variates, and second, more memory is needed than in the interval-by-interval method to store the sequence of points. Enough memory must be provided so that with very high probability the random number of points generated in the interval can be stored. Recall that the number of points in the interval  $(0, x_0]$  has a Poisson distribution with mean  $\mu_0 = \Lambda(x_0) - \Lambda(0)$ . Memory of size, e.g.,  $\mu_0 + 4\mu_0^{1/2}$  will ensure that overflow will occur on the average in only 1 out of approximately 40,000 realizations. This probability is small enough so that in case of overflow, the realization of the process generally can be discarded.

We now summarize several recently developed methods for simulating one- and two-dimensional nonhomogeneous Poisson processes. These methods are discussed in greater detail in [14, 16, 17].

### 3. SIMULATION USING GAP STATISTICS

In a previous paper [14], we have considered the simulation of nonhomogeneous Poisson processes with degree-one exponential polynomial rate function, i.e.,  $\lambda(x)$  of the form

$$\lambda(x) = \exp\{\gamma_0 + \gamma_1 x\} = \lambda \exp\{\gamma_1 x\}, \quad \gamma_1 \neq 0. \quad (1)$$

The rate function (1) is the simplest of a general family of log-linear rate functions, i.e., rate functions whose logarithms are linear in the coefficients [4; 12] which are useful in analyzing nonhomogeneous Poisson processes. The rate function (1) represents a situation in which the rate is monotonically increasing or decreasing depending on whether  $\gamma_1$  is greater than or less than zero, with  $\gamma_1$  equal to zero giving a homogeneous Poisson process. The case where  $\gamma_1$  is less than zero and the case where  $\gamma_1$  is greater than zero are quite distinct; in the first situation  $\lambda(x) \rightarrow 0$  as  $x \rightarrow \infty$ , and in the second,  $\lambda(x) \rightarrow \infty$  as  $x \rightarrow \infty$ . Moreover, when  $\gamma_1$  is less than 0, the intervals between events are not proper random variables since there is a nonzero probability that there is no event after any fixed point  $x$ .

In [14] a method for simulating the nonhomogeneous Poisson process is given based on an identity relating the nonhomogeneous Poisson process with rate function (1) to the gap statistics from a random number of exponential random variables with suitably chosen parameters. This method avoids costly ordering and taking of logarithms required by direct simulation methods and is more efficient than time-scale transformation of a homogeneous Poisson process via the inverse of the integrated rate function  $\Lambda(x)$ .

Simulation of the one-dimensional nonhomogeneous Poisson process in a fixed interval  $(0, x_0]$  is more natural than simulation for a fixed

number of events since time, not serial number, is the basic parameter of the inhomogeneity discussed here. Thus the gap statistics algorithm for simulation of the nonhomogeneous Poisson process generates the sequence of times-to-events in a fixed interval. Although such a method requires more memory than successive generation of individual times until the next event, it is far more efficient.

We now state the method of Lewis and Shedler [14] for simulation via gap statistics of the one-dimensional nonhomogeneous Poisson process with rate function (1). This scheme, which is particular to the degree-one exponential polynomial rate function, can use standard packages for exponential random numbers (e.g., [13]) and obviates the need for ordering of the random numbers. It is based on the result (see [25]) that the gap process associated with a Poisson distributed (parameter  $-\lambda/\gamma_1 > 0$ ) number of exponential (parameter  $\beta = -\gamma_1 > 0$ ) gap statistics is a nonhomogeneous Poisson process with rate function  $\lambda(x) = \lambda \exp(\gamma_1 x)$  on  $(0, \infty)$ . Efficient methods for generation of Poisson random numbers for which the generation time does not increase proportionally with the mean are given by [1,2] and [11].

Assuming the availability of a source of unit exponential random numbers  $E_1, E_2, \dots$ , obtained by logarithms or by other methods, the resulting algorithm for generating the events in the nonhomogeneous Poisson process is as follows.

#### Algorithm 1. Gap Statistics Technique ( $\gamma_1 < 0$ ).

1. Generate  $m$  as a Poisson random number with parameter  $-\lambda/\gamma_1$ . If  $m = 0$ , exit; there are no events in  $(0, x_0]$ .
2. For  $m > 0$ , if  $E_1/(\beta m)$  is greater than  $x_0$ , exit; there are no events in  $(0, x_0]$ . Otherwise, set  $E_1/(\beta m)$  equal to  $X_1$ .



3. If  $E_2/\{\beta(m-1)\} + X_1 > x_0$ , then return  $X_1$  and exit. Otherwise, set it equal to  $X_2$ .
4. Continue, possibly for  $m$  times. If  $E_m/\beta + X_{m-1} > x_0$ , return  $X_1, X_2, \dots, X_{m-1}$  and exit. Otherwise, set this equal to  $X_m$ , return  $X_1, X_2, \dots, X_m$  and exit.

The case  $\gamma_1 > 0$  is handled in the same way as  $\gamma_1 < 0$  by using a time-reversal technique, as follows. Simulate according to Algorithm 1 with  $\lambda(x) = \lambda^\# \times \exp\{\gamma_1^\# x\}$ , where  $\lambda^\# = \exp\{\gamma_0 + \gamma_1 x_0\}$  and  $\gamma_1^\# = -\gamma_1$ . The output of Algorithm 1 is a sequence  $X_1^\#, X_2^\#, \dots, X_n^\#$ . Then set  $X_1 = x_0 - X_n^\#, X_2 = x_0 - X_{n-1}^\#, \dots, X_n = x_0 - X_1^\#$ . These  $X_i$  are the required events in the nonhomogeneous Poisson process for  $\gamma_1 > 0$ .

Lewis and Shedler [16] consider the simulation in a fixed interval of the nonhomogeneous Poisson process with degree-two exponential polynomial rate function

$$\lambda(x) = \exp\{\alpha_0 + \alpha_1 x + \alpha_2 x^2\}, \quad \alpha_2 \neq 0 \quad (2)$$

the case  $\alpha_2 = 0$  giving the degree-one exponential polynomial rate function. Again, the case where  $\alpha_2$  is less than zero and the case where  $\alpha_2$  is greater than zero are distinct. The simulation method given is based on representation of the process as a superposition of two independent nonhomogeneous Poisson processes, one of which has a fitted rate function of the form (1); simulation of the latter process is accomplished via the gap statistics algorithm [14]. A rejection-acceptance technique is used to generate the other, more complex, nonhomogeneous Poisson process. The resulting algorithm is more efficient than time-scale transformation of a homogeneous Poisson process; see [20]. This method can be improved by using the thinning algorithm given in the next section to simulate the second nonhomogeneous Poisson process. The method can also be

extended to more complex rate functions than the degree-two exponential polynomial.

#### 4. SIMULATION OF NONHOMOGENEOUS POISSON PROCESSES BY THINNING

In this section we describe a new method [17] for simulating a nonhomogeneous Poisson process. The method is not only conceptually simple, but is also computationally simple and relatively efficient. In fact, at the cost of some efficiency, the method can be applied to simulate the given nonhomogeneous Poisson process without the need for numerical integration or routines for generating Poisson variates. Used in conjunction with the special methods given by Lewis and Shedler [14,16], the method can be used to simulate quite efficiently nonhomogeneous Poisson processes with rather complex rate function, in particular, combinations of long-term trends and fixed-cycle effects. The method is also easily extended to the problem of simulating the two-dimensional nonhomogeneous Poisson process (see Section 5), and of simulating conditional and doubly stochastic Poisson processes.

Simulation of a nonhomogeneous Poisson process with general rate function  $\lambda(x)$  in a fixed interval  $(0, x_0]$  can be based on thinning of a nonhomogeneous Poisson process with rate function  $\lambda^*(x) \geq \lambda(x)$ . The main result [17, Theorem 1] is that if  $X_1^*, X_2^*, \dots, X_{N^*}^*(x_0)$  are the points of the process with rate function  $\lambda^*(x)$  in the interval  $(0, x_0]$  and if the point  $X_i^*$  is deleted with (independent) probability  $1 - \lambda(X_i^*)/\lambda^*(X_i^*)$ , then the remaining points form a nonhomogeneous Poisson process with rate function  $\lambda(x)$  in the interval  $(0, x_0]$ .

This result is the basis for the method of simulating one-dimensional nonhomogeneous Poisson processes on an interval  $(0, x_0]$  given by Algorithm 2.

**Algorithm 2.** One-Dimensional Nonhomogeneous Poisson Process (Thinning)

1. Generate points in the nonhomogeneous Poisson process  $\{N^*(x)\}$  with rate function  $\lambda^*(x)$  in the fixed interval  $(0, x_0]$ . If the number of points generated,  $n^*$ , is such that  $n^* = 0$ , exit; there are no points in the process  $\{N(x)\}$ .
2. Denote the (ordered) points by  $X_1^*, X_2^*, \dots, X_{n^*}^*$ . Set  $i = 1$  and  $k = 0$ .
3. Generate  $U_i$ , uniformly distributed between 0 and 1. If  $U_i \leq \lambda(X_i^*)/\lambda^*(X_i^*)$ , set  $k$  equal to  $k+1$  and  $X_k = X_i^*$ .
4. Set  $i$  equal to  $i+1$ . If  $i \leq n^*$ , go to 3.
5. Return  $X_1, X_2, \dots, X_n$ , where  $n = k$ , and also  $n$ .

The method of thinning of Algorithm 2 is essentially the obverse of the conditional method of Section 2 using conditioning and acceptance-rejection techniques to generate the random variables with density function  $\lambda(x)/\{\Lambda(x) - \Lambda(0)\}$  [16, Algorithm 3]. The differences are subtle, but computationally important. In the acceptance-rejection method, it is first necessary to generate a Poisson variate with mean  $\mu_0 = \Lambda(x_0) - \Lambda(0)$ , and this involves an integration of the rate function  $\lambda(x)$ . Then the  $\text{Poisson}(\mu_0)$  number,  $n$ , of variates generated by acceptance-rejection must be ordered to give  $X_1, X_2, \dots, X_n$ .

In the simplest form of the method of thinning,  $\lambda^*(x)$  is taken equal to  $\lambda^* = \max_{0 \leq x \leq x_0} \lambda(x)$ , so that, for instance the points  $X_1^*, X_2^*, \dots, X_{n^*}^*$  can be generated by cumulating exponential( $\lambda^*$ ) variates until the sum is greater than  $x_0$  (cf. [14, Algorithm 1]). The generated points are then thinned. No ordering, no integration of  $\lambda(x)$  and no generator of Poisson variates

is required. Of course for both algorithms to be efficient, computation of  $\lambda(x)$  and  $\lambda^*(x)$  must be easy relative to computation of the inverse of  $\Lambda(x)$ .

For the thinning algorithm (as well as the algorithm based on conditioning and acceptance-rejection) efficiency as measured by the number of points deleted is proportional to

$$\mu_0/\mu_0^* = \{\Lambda(x_0) - \Lambda(0)\}/\{\Lambda^*(x_0) - \Lambda^*(0)\};$$

this is the ratio of the areas between 0 and  $x_0$  under  $\lambda(x)$  and  $\lambda^*(x)$ . Thus,  $\lambda^*(x)$  should be as close as possible to  $\lambda(x)$  consistent with ease of simulating the nonhomogeneous Poisson process  $\{N^*(x): x \geq 0\}$ .

It is important to note that the method of thinning can be used to generate individual intervals between events occurring in  $(0, x_0]$  if  $\lambda(x)$  is bounded on  $(0, x_0]$ . The resulting algorithm is not only useful in the event scheduling approach to simulation, but also in the generation of conditional Poisson processes. Informally, the "one at a time" thinning algorithm is as follows. If  $\lambda^*(x) = \lambda^* \geq \max_{0 \leq x \leq x_0} \lambda(x)$ , then the  $i$ th interval  $X_i - X_{i-1}$  is obtained by generating and cumulating exponential( $\lambda^*$ ) random numbers  $E_{i,1}^*, E_{i,2}^*, \dots$  until, for the first time,

$$U_{i,j} \leq \lambda(X_{i-1} + E_{i,1}^* + \dots + E_{i,j}^*)/\lambda^*,$$

$$i = 1, 2, \dots; \quad j = 1, 2, \dots,$$

where the  $U_{i,j}$  are independent, uniform  $(0, 1)$  random numbers.

## 5. SIMULATION OF TWO-DIMENSIONAL HOMOGENEOUS POISSON PROCESSES

Recall that the two-dimensional homogeneous Poisson process (of rate  $\lambda > 0$ ) has the characteristic properties that the numbers of points in any finite set of

nonoverlapping regions having areas in the usual geometric sense are mutually independent, and that the number of points in any region of area  $A$  has a Poisson distribution with mean  $\lambda A$ .

In considering the two-dimensional homogeneous Poisson process, projection properties of the process depend quite critically on the geometry of the regions considered. These projection properties are simple for rectangular and circular regions, and make simulation of the homogeneous process quite easy. We consider here the case of a rectangular region. The following result forms the basis for simulation of the two-dimensional homogeneous Poisson process of rate  $\lambda$  in a fixed rectangle  $R = \{(x, y) : 0 \leq x \leq x_0, 0 < y \leq y_0\}$ . If  $(X_1, Y_1), (X_2, Y_2), \dots, (X_N, Y_N)$  denote the positions of the points of the process in  $R$ , labelled so that  $X_1 < X_2 < \dots$ , then  $X_1, X_2, \dots, X_N$  form a one-dimensional homogeneous Poisson process on  $0 \leq x \leq x_0$  of rate  $\lambda y_0$ ; if the points are relabelled  $(X'_1, Y'_1), (X'_2, Y'_2), \dots, (X'_N, Y'_N)$  so that  $Y'_1 < Y'_2 < \dots < Y'_N$ , then  $Y'_1, Y'_2, \dots, Y'_N$  form a one-dimensional homogeneous Poisson process on  $0 < y \leq y_0$  of rate  $\lambda x_0$ .

We state next conditional properties of the Poisson process in a rectangle. The important thing to note is that although the processes obtained by projection of the points onto the  $x$  and  $y$  axes are not independent, there is a type of conditional independence which makes it easy to simulate the two-dimensional process. Thus, conditional on having observed  $n > 0$  points  $(X_1, Y_1), (X_2, Y_2), \dots, (X_n, Y_n)$  in  $R$ , labelled so that  $X_1 < X_2 < \dots < X_n$ , the  $X_1, X_2, \dots, X_n$  are uniform order statistics on  $0 \leq x \leq x_0$ , and the  $Y_1, Y_2, \dots, Y_n$  are independent and uniformly distributed on  $0 < y \leq y_0$ , independent of the  $X_i$ .

From these two results, the following simulation procedure is obtained.

### Algorithm 3. Two-Dimensional Homogeneous Poisson Process in a Rectangle

1. Generate points in the one-dimensional homogeneous Poisson process of rate  $\lambda y_0$  on  $(0, x_0]$ . If the number of points generated,  $n$ , is such that  $n = 0$ , exit; there are no points in the rectangle.
2. Denote the points generated by  $X_1 < X_2 < \dots < X_n$ .
3. Generate  $Y_1, Y_2, \dots, Y_n$  independent, uniformly distributed random numbers on  $(0, y_0]$ .
4. Return  $(X_1, Y_1), (X_2, Y_2), \dots, (X_n, Y_n)$  as the coordinates of the two-dimensional homogeneous Poisson process in the rectangle, and  $n$ .

Note that generation of the points  $X_1, X_2, \dots, X_n$  in steps 1 and 2 can be accomplished by cumulating exponential( $\lambda y_0$ ) random numbers. Alternatively, after generating a Poisson random number  $N = n$  (with parameter  $\lambda x_0 y_0$ ),  $n$  independent, uniformly distributed random numbers on  $(0, x_0]$  can be ordered; see [14, p. 502].

The basis for another algorithm for simulation of the two-dimensional homogeneous Poisson process in a rectangle is the following corollary. Denote the Poisson points by  $(X_1, Y_1), (X_2, Y_2), \dots$ , where the index does not necessarily denote an ordering on either axis. Conditionally, the pairs  $(X_1, Y_1), (X_2, Y_2), \dots, (X_N, Y_N)$  are independent random variables, and furthermore, for each pair  $(X_i, Y_i)$ ,  $X_i$  is distributed uniformly between 0 and  $x_0$ , independently of  $Y_i$ , which is uniformly distributed between 0 and  $y_0$ .

Direct generation of homogeneous Poisson points in noncircular or nonrectangular regions is difficult. The processes obtained by projection of the points on the two axes are nonhomogeneous Poisson processes with complex rate functions determined by the geometry of the region. However, the conditional independence which is found in



circular and rectangular regions for the processes on the two axes is not present. In particular, given that there are  $n$  points  $(X_1, Y_1), \dots, (X_n, Y_n)$  in a nonrectangular region, the pairs  $(X_i, Y_i)$  are mutually independent, but  $X_i$  is in general not independent of  $Y_i$ ,  $i=1, 2, \dots, n$ . Therefore it is simpler to enclose the region in either a circle or a rectangle, generate a homogeneous Poisson process in the enlarged area, and subsequently exclude points outside of the given region.

#### 6. SIMULATION OF TWO-DIMENSIONAL NONHOMOGENEOUS POISSON PROCESSES

The two-dimensional nonhomogeneous Poisson process  $\{N(x, y) : x \geq 0, y \geq 0\}$  is specified by a positive rate function  $\lambda(x, y)$  which for simplicity is assumed here to be continuous. Then the process  $\{N(x, y)\}$  has the characteristic properties that the numbers of points in any finite set of nonoverlapping regions having areas in the usual geometric sense are mutually independent, and that the number of points in any such region  $R$  has a Poisson distribution with mean  $\Lambda(R)$ ; here  $\Lambda(R)$  denotes the integral of  $\lambda(x, y)$  over  $R$ , i.e., over the entire area of  $R$ .

The basic result of Section 4 on thinning of one-dimensional nonhomogeneous Poisson processes generalizes to two-dimensional nonhomogeneous Poisson processes. Thus, suppose that  $\lambda(x, y) \leq \lambda^*(x, y)$  in a fixed rectangular region of the plane. If a nonhomogeneous Poisson process with rate function  $\lambda^*(x, y)$  is thinned according to  $\lambda(x, y)/\lambda^*(x, y)$  (i.e., each point  $(X_i, Y_i)$  is deleted independently if a uniform  $(0, 1)$  random number  $U_i$  is greater than  $\lambda(X_i, Y_i)/\lambda^*(X_i, Y_i)$ ), the result is nonhomogeneous Poisson process with rate function  $\lambda(x, y)$ .

The nonhomogeneous Poisson process with rate function  $\lambda(x, y)$  in an arbitrary but

fixed region  $R$  can be generated by enclosing the region  $R$  either in a circle [17] or a rectangle, and applying Algorithm 3. The following procedure assumes that the region  $R$  has been enclosed in a rectangle  $R^*$ , and that  $\lambda^* = \max\{\lambda(x, y) : x, y \in R\}$  has been determined; here the bounding process is homogeneous with rate  $\lambda^*$  in the rectangle  $R^*$ .

#### Algorithm 4. Two-Dimensional Nonhomogeneous Poisson Process (Thinning)

1. Using Algorithm 2, generate points in the homogeneous Poisson process of rate  $\lambda^*$  in the rectangle  $R^*$ . If the number of points,  $n^*$ , is such that  $n^* = 0$ , exit; there are no points in the nonhomogeneous Poisson process.
2. From the  $n^*$  points generated in 1, delete the points that are not in  $R$ , and denote the remaining points by  $(X_1^*, Y_1^*), (X_2^*, Y_2^*), \dots, (X_m^*, Y_m^*)$  with  $X_1^* < X_2^* < \dots < X_m^*$ . Set  $i = 1$  and  $k = 0$ .
3. Generate  $U_i$  uniformly distributed between 0 and 1. If  $U_i \leq \lambda(X_i^*, Y_i^*)/\lambda^*$ , set  $k = k+1$ ,  $X_k = X_i^*$  and  $Y_k = Y_i^*$ .
4. Set  $i$  equal to  $i+1$ . If  $i \leq m^*$ , go to 3.
5. Return  $(X_1, Y_1), (X_2, Y_2), \dots, (X_n, Y_n)$ , where  $n = k$  and  $n$ .

#### 7. CONCLUSION

We have summarized previously known general methods for simulating nonhomogeneous Poisson processes in one dimension. In addition, we have described the simple and efficient new methods of Lewis and Shedler for simulating nonhomogeneous Poisson processes in one and two dimensions. Extensions of the thinning algorithm to the simulation of homogeneous or nonhomogeneous conditional or doubly stochastic Poisson processes will be described elsewhere.



## REFERENCES

1. Ahrens, J. and Dieter, U. (1974a). Computer methods for sampling from gamma, beta, Poisson and binomial distributions. Computing, Vol. 12, pp. 223-46.
2. Ahrens, J. and Dieter, U. (1974b). Non Uniform Random Numbers, Graz, Austria: Technische Hochschule in Graz.
3. Çinlar, E. (1975). Introduction to Stochastic Processes. Englewood Cliffs, New Jersey: Prentice-Hall.
4. Cox, D. R. (1972). The statistical analysis of dependencies in point processes. In Stochastic Point Processes, ed. P. A. W. Lewis, pp. 55-56, New York: Wiley.
5. Cox, D. R. and Lewis, P. A. W. (1966). The Statistical Analysis of Series of Events. London: Methuen.
6. Gilchrist, R. (1977). Some problems encountered in generating realisations from a useful nonhomogeneous Poisson process. In Proceedings of the European Congress of Statisticians 1976, Ed. J. R. Barra et al., Amsterdam: North Holland.
7. Goldman, J. R. (1967a). Stochastic point processes: limit theorems. Ann. Math. Stat., Vol. 38, pp. 771-79.
8. Goldman, J. R. (1967b). Infinitely divisible point processes in  $R^n$ . J. Math. Anal. Appl. Vol. 17, pp. 133-46.
9. Holgate, F. (1972). The use of distance methods for the analysis of spatial distributions of points. In Stochastic Point Processes, Ed. P. A. W. Lewis, pp. 122-35. New York: Wiley.
10. Karlin, S. and Taylor, H.M. (1975). A First Course in Stochastic Processes. New York: Academic Press.
11. Knuth, D. E. (1969). The Art of Computer Programming, Vol. 2, Semi-Numerical Algorithms, Reading, Massachusetts: Addison-Wesley.
12. Lewis, P. A. W. (1972). Recent advances in the statistical analysis of univariate point processes. In Stochastic Point Processes, Ed. P. A. W. Lewis, pp. 1-54. New York: Wiley.
13. Lewis, P. A. W. and Learmonth, G. (1973). Naval Postgraduate School random number generator package LLRANDOM. Naval Postgraduate School Report NPS55Lw73061A. Monterey, California.
14. Lewis, P. A. W. and Shedler, G. S. (1976a). Simulation of nonhomogeneous processes with log-linear rate function. Biometrika, Vol. 63, pp. 501-05.
15. Lewis, P. A. W. and Shedler, G. S. (1976b). Statistical analysis of a non-stationary series of events in a data base system. IBM J. Res. Devel., Vol. 20, pp. 465-82.
16. Lewis, P. A. W. and Shedler, G. S. (1977). Simulation of nonhomogeneous Poisson processes with degree-two exponential polynomial rate function. IBM Research Report RJ 1953. San Jose, California.
17. Lewis, P. A. W. and Shedler, G. S. (1978). Simulation of nonhomogeneous Poisson processes by thinning. IBM Research Report RJ 2286. San Jose, California.
18. Miles, R. E. (1970). On the homogeneous planar Poisson point process. Mathematical Biosciences, Vol. 6, pp. 85-127.
19. Newell, G. F. (1968). Queues with time-dependent arrival rates (I, II, III). J. Appl. Prob., Vol. 5, pp. 436-451, 479-490, 591-606.
20. Patrow, M. L. (1977). A comparison of two algorithms for the simulation of nonhomogeneous Poisson processes with degree-two exponential polynomial intensity function. M.S. Thesis, Department of Operations Research. Naval Postgraduate School. Monterey, California (National Technical Information Service, Springfield, Virginia; AD-A047164.)
21. Rantschler, R. D. (1973). The detection and estimation of trends in two-dimensional Poisson processes. M.S. Thesis. Department of Operations Research. Naval Postgraduate School. Monterey, California. (National Technical Information Service, Springfield, Virginia; AD-A76136.)
22. Reymont, R. A. (1976). Geomagnetic reversal data statistically appraised. Tectonophysics, Vol. 31, pp. 73-91.
23. Steinijans, V. (1970). A stochastic point process model of the occurrence of major freezes in Lake Constance. Appl. Statistics, Vol. 25, pp. 58-61.
24. Thompson, H. R. (1955). Spatial point processes with applications to ecology. Biometrika, Vol. 42, pp. 102-15.
25. Vere-Jones, D. (1970). Stochastic models for earthquake occurrence. J. Roy. Statist. Soc. B, Vol. 32, pp. 1-62.

Acknowledgments. Support under Office of Naval Research Grant NR-42-343 and National Science Foundation Grant AF476 is gratefully acknowledged by P.A.W. Lewis

# DISTRIBUTION LIST

NO. OF COPIES

STATISTICS AND PROBABILITY PROGRAM  
OFFICE OF NAVAL RESEARCH  
CODE 436  
ARLINGTON  
VA

22217

1

OFFICE OF NAVAL RESEARCH  
NEW YORK AREA OFFICE  
715 BROADWAY - 5TH FLOOR  
ATTN: DR. ROGER GRAFTON  
NEW YORK, NY

10003

1

DIRECTOR  
OFFICE OF NAVAL RESEARCH BRANCH OFF  
536 SOUTH CLARK STREET  
ATTN: DEPUTY AND CHIEF SCIENTIST  
CHICAGO, IL

60605

1

LIBRARY  
NAVAL OCEAN SYSTEMS CENTER  
SAN DIEGO  
CA

92152

1

NAVY LIBRARY  
NATIONAL SPACE TECHNOLOGY LAB  
ATTN: NAVY LIBRARIAN  
CAY ST. LOUIS  
MS

39522

1

NAVAL ELECTRONIC SYSTEMS COMMAND  
NAVELEX 320  
NATIONAL CENTER NO. 1  
ARLINGTON  
VA

20360

1

DIRECTOR NAVAL RESEARCH LABORATORY  
ATTN: LIBRARY (ONRL)  
CODE 2029  
WASHINGTON, D.C.

20375

1

DEFENSE DOCUMENTATION CENTER  
CAMERON STATION

2

ALEXANDRIA  
VIRGINIA 22314

TECHNICAL INFORMATION DIVISION  
NAVAL RESEARCH LABORATORY

1

WASHINGTON, D. C.

20375

NO. OF COPIES

OFFICE OF NAVAL RESEARCH  
SAN FRANCISCO AREA OFFICE  
760 MARKET STREET  
SAN FRANCISCO CALIFORNIA 94102

1

TECHNICAL LIBRARY  
NAVAL ORDNANCE STATION  
INDIAN HEAD MARYLAND 20640

1

NAVAL SHIP ENGINEERING CENTER  
PHILADELPHIA  
DIVISION TECHNICAL LIBRARY  
PHILADELPHIA PENNSYLVANIA 19112

1

BUREAU OF NAVAL PERSONNEL  
DEPARTMENT OF THE NAVY  
TECHNICAL LIBRARY  
WASHINGTON D. C. 20370

1

LIBRARY CODE 0212  
NAVAL POSTGRADUATE SCHOOL  
MONTEREY CALIFORNIA 93940

1

PROF. M. AEDEL-HAMEED  
DEPARTMENT OF MATHEMATICS  
UNIVERSITY OF NORTH CAROLINA  
CHARLOTTE  
NC

28223

1

PROF. T. W. ANDERSON  
DEPARTMENT OF STATISTICS  
STANFORD UNIVERSITY  
STANFORD , CALIFORNIA 94305

1

PROF. F. J. ANSCOMBE  
DEPARTMENT OF STATISTICS  
YALE UNIVERSITY  
NEW HAVEN  
CONNECTICUT 06520

1

PROF. L. A. ARCIA  
INSTITUTE OF INDUSTRIAL  
ADMINISTRATION  
UNION COLLEGE  
SCHENECTADY,  
NEW YORK 12308

1

PROF. C. R. BAKER  
DEPARTMENT OF STATISTICS  
UNIVERSITY OF NORTH CAROLINA  
CHAPEL HILL,  
NORTH CAROLINA  
27514

1

PROF. R. E. BECHOFER  
DEPARTMENT OF OPERATIONS RESEARCH  
CORNELL UNIVERSITY  
ITHACA  
NEW YORK 14850

1

PROF. N. J. BERSHAD  
SCHOOL OF ENGINEERING  
UNIVERSITY OF CALIFORNIA  
IRVINE,  
CALIFORNIA  
92664

1

P. J. BICKEL  
DEPARTMENT OF STATISTICS  
UNIVERSITY OF CALIFORNIA  
BERKELEY, CALIFORNIA

1

94720

PROF. F. W. BLICK  
DEPARTMENT OF MATHEMATICS  
UNIVERSITY OF PITTSBURGH  
PITTSBURGH  
PA

1

15260

PROF. JOSEPH BLUM  
DEPT. OF MATHEMATICS, STATISTICS  
AND COMPUTER SCIENCE  
THE AMERICAN UNIVERSITY  
WASHINGTON  
DC

1

20016

PROF. R. A. BRADLEY  
DEPARTMENT OF STATISTICS  
FLORIDA STATE UNIVERSITY

1

TALLAHASSEE, FLORIDA 32306

PROF. R. E. BARLOW  
OPERATIONS RESEARCH CENTER  
COLLEGE OF ENGINEERING  
UNIVERSITY OF CALIFORNIA  
BERKELEY  
CALIFORNIA 94720

1

MR. C. N. BENNETT  
NAVAL COASTAL SYSTEMS LABORATORY  
CODE P761  
PANAMA CITY,  
FLORIDA  
32401

1

PROF. U. N. BHAT  
COMPUTER SCIENCE / OPERATIONS  
RESEARCH CENTER  
SOUTHERN METHODIST UNIVERSITY  
DALLAS,  
TEXAS 75275

1

PROF. W. R. BLISCHKE  
DEPT. OF QUANTITATIVE  
BUSINESS ANALYSIS  
UNIVERSITY OF SOUTHERN CALIFORNIA  
LOS ANGELES, CALIFORNIA

1

90007



DR. DERRILL J. BORDELON  
NAVAL UNDERWATER SYSTEMS CENTER  
CODE 21  
NEWPORT  
RI

1

C2840

J. E. BOYER JR  
DEPT. OF STATISTICS  
SOUTHERN METHODIST UNIVERSITY  
DALLAS  
TX

1

75275

DR. J. CHANDRA  
U. S. ARMY RESEARCH  
P. O. BOX 12211  
RESEARCH TRIANGLE PARK,  
NORTH CAROLINA  
27706

1

PROF. F. CHERNOFF  
DEPT. OF MATHEMATICS  
MASS INSTITUTE OF TECHNOLOGY  
CAMBRIDGE,  
MASSACHUSETTS 02139

1

PROF. C. DERMAN  
DEPARTMENT OF CIVIL ENGINEERING  
AND ENGINEERING MECHANICS  
COLUMBIA UNIVERSITY  
NEW YORK  
NEW YORK

1

10027

PROF. R. L. DISNEY  
VIRGINIA POLYTECHNIC INSTITUTE  
AND STATE UNIVERSITY  
DEPT. OF INDUSTRIAL ENGINEERING  
AND OPERATIONS RESEARCH  
BLACKSBURG, VA

1

24061

MR. J. DOWLING  
DEFENSE LOGISTICS STUDIES  
INFORMATION EXCHANGE  
ARMY LOGISTICS MANAGEMENT CENTER  
FORT LEE,  
VIRGINIA 20390

1

PROF. J. D. ESARY  
DEPT. OF OPERATIONS RESEARCH AND  
ADMINISTRATIVE SCIENCES  
NAVAL POSTGRADUATE SCHOOL  
MONTEREY,  
CALIFORNIA 93940

1

DR. M. J. FISCHER  
DEFENSE COMMUNICATIONS AGENCY  
1860 WIEHLE AVENUE  
RESTON  
VIRGINIA  
22070

1

## NO. OF COPIES

PROF. C. P. GAVER  
DEPT. OF OPERATIONS RESEARCH  
NAVAL POSTGRADUATE SCHOOL  
MONTEREY  
CA

1

93940

MR. GENE F. GLEISSNER  
APPLIED MATHEMATICS LABORATORY  
DAVID TAYLOR NAVAL SHIP RESEARCH  
AND DEVELOPMENT CENTER  
BETHESDA  
MD

1

20084

PROF. S. S. GUPTA  
DEPARTMENT OF STATISTICS  
PURDUE UNIVERSITY  
LAFAYETTE  
INDIANA 47907

1

PROF. D. L. HANSON  
DEPT OF MATH. SCIENCES  
STATE UNIVERSITY OF NEW YORK,  
BINGHAMTON  
BINGHAMTON  
NY

1

13901

PROF. F. J. HARRIS  
DEPT. OF ELECTRICAL ENGINEERING  
SAN DIEGO STATE UNIVERSITY  
SAN DIEGO  
CA

1

92182

PROF. L. H. HERBACH  
DEPT. OF OPERATIONS RESEARCH AND  
SYSTEMS ANALYSIS  
POLYTECHNIC INSTITUTE OF NEW YORK  
BROOKLYN  
NY

1

11201

PROF. M. J. HINICH  
DEPARTMENT OF ECONOMICS  
VIRGINIA POLYTECHNIC INSTITUTE  
AND STATE UNIVERSITY  
BLACKSBURG,  
VIRGINIA 24061

1

PROF. W. M. HIRSCH  
INSTITUTE OF MATHEMATICAL SCIENCES  
NEW YORK UNIVERSITY  
NEW YORK  
NEW YORK 10453

1

PROF. C. L. IGLEHART  
DEPARTMENT OF OPERATIONS RESEARCH  
STANFORD UNIVERSITY  
STANFORD,  
CALIFORNIA  
94350

1

NO. OF COPIES

PROF. J. B. KACANE  
DEPARTMENT OF STATISTICS  
CARNEGIE-MELLON  
PITTSBURGH,  
PENNSYLVANIA  
15213

1

DR. RICHARD LAU  
DIRECTOR  
OFFICE OF NAVAL RESEARCH BRANCH OFF  
1030 EAST GREEN STREET  
PASADENA  
CA

1

91101

DR. A. R. LAUFER  
DIRECTOR  
OFFICE OF NAVAL RESEARCH BRANCH OFF  
1030 EAST GREEN STREET  
PASADENA  
CA

1

91101

PROF. M. LEADBETTER  
DEPARTMENT OF STATISTICS  
UNIVERSITY OF NORTH CAROLINA  
CHAPEL HILL  
NORTH CAROLINA 27514

1

DR. J. S. LEE  
J. S. LEE ASSOCIATES, INC.  
2001 JEFFERSON DAVIS HIGHWAY  
SUITE 802  
ARLINGTON  
VA

1

22202

PROF. L. C. LEE  
DEPARTMENT OF STATISTICS  
VIRGINIA POLYTECHNIC INSTITUTE  
AND STATE UNIVERSITY  
BLACKSBURG  
VA

1

24061

PROF. R. S. LEVENWORTH  
DEPT. OF INDUSTRIAL AND SYSTEMS  
ENGINEERING  
UNIVERSITY OF FLORIDA  
GAINSVILLE,  
FLORIDA 32611

1

PROF. G. LIEBERMAN  
STANFORD UNIVERSITY  
DEPARTMENT OF OPERATIONS RESEARCH  
STANFORD CALIFORNIA 94305

1

NO. OF COPIES

DR. JAMES F. MAAR 1  
NATIONAL SECURITY AGENCY  
FORT MEADE, MARYLAND  
20755

PROF. R. W. MADSEN 1  
DEPARTMENT OF STATISTICS  
UNIVERSITY OF MISSOURI  
COLUMBIA  
MO

65201

DR. N. R. MANN 1  
SCIENCE CENTER  
ROCKWELL INTERNATIONAL CORPORATION  
P.O. BOX 1085  
THOUSAND OAKS,  
CALIFORNIA 91360

DR. W. H. MARLOW 1  
PROGRAM IN LOGISTICS  
THE GEORGE WASHINGTON UNIVERSITY  
707 22ND STREET, N. W.  
WASHINGTON, D. C.  
20037

PROF. E. MASRY 1  
DEPT. APPLIED PHYSICS AND  
INFORMATION SERVICE  
UNIVERSITY OF CALIFORNIA  
LA JOLLA  
CALIFORNIA

92093

DR. BRUCE J. McDONALD 1  
SCIENTIFIC DIRECTOR  
SCIENTIFIC LIAISON GROUP  
OFFICE OF NAVAL RESEARCH  
AMERICAN EMBASSY - TOKYO  
AFC SAN FRANCISCO

96503

PROF. J. A. MUCKSTADT 1  
DEPT. OF OPERATIONS RESEARCH  
CORNELL UNIVERSITY  
ITHACA,  
NEW YORK  
14850

DR. JANET M. MYRE 1  
THE INSTITUTE OF DECISION SCIENCE  
FOR BUSINESS AND PUBLIC POLICY  
CLAREMONT MEN'S COLLEGE  
CLAREMONT  
CA

91711

MR. H. NISSELSOHN 1  
BUREAU OF THE CENSUS  
RCCM 2025  
FEDERAL BUILDING 3  
WASHINGTON,  
D. C. 20533



NO. OF COPIES

MISS B. S. ORLEANS  
NAVAL SEA SYSTEMS COMMAND  
(SEA 03F)  
RM 10S08  
ARLINGTON VIRGINIA 20360

1

PROF. C. B. OWEN  
DEPARTMENT OF STATISTICS  
SOUTHERN METHODIST UNIVERSITY  
DALLAS  
TEXAS  
75222

1

DR. A. PETRASOVITS  
ROOM 207B , FOOD AND DRUG BLDG.  
TUNNEY'S PASTURE  
OTTAWA , CANADA K1A-0L2 ,  
CANADA

1

PROF. S. L. PFENIX  
SIBLEY SCHOOL OF MECHANICAL AND  
AEROSPACE ENGINEERING  
CORNELL UNIVERSITY  
ITHACA  
NY

1

14850

DR. A. L. POWELL  
DIRECTOR  
OFFICE OF NAVAL RESEARCH BRANCH OFF  
495 SUMNER STREET  
BOSTON  
MA

1

02210

MR. F. R. PRIORI  
CCCE 224 OPERATIONS TEST AND ONRS  
EVALUATION FORCE (OPTEVFOR)  
NORFOLK ,  
VIRGINIA  
20360

1

PROF. M. L. PURI  
DEPT. OF MATHEMATICS  
P.O. BOX F  
INDIANA UNIVERSITY FOUNDATION  
BLOOMINGTON  
IN

1

47401

PROF. H. ROBBINS  
DEPARTMENT OF MATHEMATICS  
COLUMBIA UNIVERSITY  
NEW YORK ,  
NEW YORK 10027

1

## NO. OF COPIES

PROF. M ROSENBLATT  
DEPARTMENT OF MATHEMATICS  
UNIVERSITY OF CALIFORNIA SAN DIEGO  
LA JOLLA  
CALIFORNIA

1

92093

PROF. S. M. ROSS  
COLLEGE OF ENGINEERING  
UNIVERSITY OF CALIFORNIA  
BERKELEY  
CA

1

94720

PROF. I RUBIN  
SCHOOL OF ENGINEERING AND APPLIED  
SCIENCE  
UNIVERSITY OF CALIFORNIA  
LOS ANGELES,  
CALIFORNIA 90024

1

PROF. J. R. SAVAGE  
DEPARTMENT OF STATISTICS  
YALE UNIVERSITY  
NEW HAVEN,  
CONNECTICUT  
06520

1

PROF. L. L. , JR. SCHARF  
DEPARTMENT OF ELECTRICAL ENGINEERING  
COLORADO STATE UNIVERSITY  
FT. COLLINS,  
COLORADO  
80521

1

PROF. R. SERFLING  
DEPARTMENT OF STATISTICS  
FLORIDA STATE UNIVERSITY

1

TALLAHASSEE FLORIDA 32306

PROF. W. R. SCHUCANY  
DEPARTMENT OF STATISTICS  
SOUTHERN METHODIST UNIVERSITY  
DALLAS,  
TEXAS  
75222

1

PROF. D. D. SIEGMUND  
DEPT. OF STATISTICS  
STANFORD UNIVERSITY  
STANFORD  
CA

1

94305

PROF. M. L. SPOONMAN  
DEPT. OF ELECTRICAL ENGINEERING  
POLYTECHNIC INSTITUTE OF NEW YORK  
BROOKLYN,  
NEW YORK  
11201

1

PROF. N. SINGPURWALLA  
DEPT. OF OPERATIONS RESEARCH  
THE GEORGE WASHINGTON UNIVERSITY  
707 22ND ST. N. W.  
WASHINGTON, D. C.

1

20052

NO. OF COPIES

DR. A. L. SLAFKOSKY  
SCIENTIFIC ADVISOR  
COMMANCANT OF THE MARINE CORPS  
WASHINGTON ,  
D. C.  
20380

1

MR. CHARLES S. SMITH  
OASD (I&L),  
PENTAGON  
WASHINGTON  
DC

1

20301

DR. D. E. SMITH  
DESMATICS INC.  
P.O. BOX 618  
STATE COLLEGE  
PENNSYLVANIA  
16801

1

PROF. W. L. SMITH  
DEPARTMENT OF STATISTICS  
UNIVERSITY OF NORTH CAROLINA  
CHAPEL HILL  
NORTH CAROLINA 27514

1

PROF. H. SOLOMON  
DEPARTMENT OF STATISTICS  
STANFORD UNIVERSITY  
STANFORD ,  
CALIFORNIA  
94305

1

MR. GLENN F. STAHLY  
NATIONAL SECURITY AGENCY  
FORT MEADE ,  
MARYLAND 20755

1

MR. DAVID A. SWICK  
ADVANCED PROJECTS GROUP  
CODE 8103  
NAVAL RESEARCH LAB.  
WASHINGTON  
DC

1

20375

MR. WENDELL G. SYKES  
ARTHUR D. LITTLE, INC.  
ACORN PARK  
CAMBRIDGE  
MA

1

02140

PROF. J. R. THOMPSON  
DEPARTMENT OF MATHEMATICAL SCIENCE  
RICE UNIVERSITY  
HOUSTON,  
TEXAS  
77001

1

## NO. OF COPIES

PROF. W. A. THOMPSON  
DEPARTMENT OF STATISTICS  
UNIVERSITY OF MISSOURI  
COLUMBIA,  
MISSOURI  
65201

1

PROF. F. A. TILLMAN  
DEPT. OF INDUSTRIAL ENGINEERING  
KANSAS STATE UNIVERSITY  
MANHATTAN  
KS

1

66506

PROF. J. W. TUKEY  
DEPARTMENT OF STATISTICS  
PRINCETON UNIVERSITY

1

PRINCETON, N. J. 08540

PROF. A. F. VEINOTT  
DEPARTMENT OF OPERATIONS RESEARCH  
STANFORD UNIVERSITY  
STANFORD  
CALIFORNIA  
94305

1

DANIEL H. WAGNER  
STATION SQUARE ONE  
PAOLI, PENNSYLVANIA  
19301

1

PROF. GRACE WAHBA  
DEPT. OF STATISTICS  
UNIVERSITY OF WISCONSIN  
MADISON  
WI

1

53706

PROF. K. T. WALLENIUS  
DEPARTMENT OF MATHEMATICAL SCIENCES  
CLEMSON UNIVERSITY  
CLEMSON,  
SOUTH CAROLINA 29631

1

PROF. G. S. WATSON  
DEPARTMENT OF STATISTICS  
PRINCETON, N. J. 08540

1

PROF. BERNARD WIDROW  
STANFORD ELECTRONICS LAB  
STANFORD UNIVERSITY  
STANFORD  
CA

1

94305

PROF. G. E. WHITEHOUSE  
DEPT. OF INDUSTRIAL ENGINEERING  
LEHIGH UNIVERSITY  
BETHLEHEM  
PA

1

18015



PROF. S. ZACKS  
DEPT. OF MATHEMATICS AND STATISTICS  
CASE WESTERN RESERVE UNIVERSITY  
CLEVELAND.,  
CHIC  
44106 1

PROF. M. ZIA-PASSAN  
DEPARTMENT OF INDUSTRIAL AND  
SYSTEMS ENGINEERING  
ILLINOIS INSTITUTE OF TECHNOLOGY  
CHICAGO  
IL 60616 1

DR. DAVID BRILLINGER  
STATISTICS DEPT.  
UNIVERSITY OF CALIFORNIA  
BERKELEY,  
CALIFORNIA  
94720 1

DR. CHIN CHEN  
COMMONWEALTH ASSOCIATES, INC.  
205 E. WASHINGTON  
JACKSON, MI  
49201 1

PROFESSOR PETER CHEN  
ALFRED P. SLICAN SCHOOL OF MGMT  
MASS INSTITUTE OF TECHNOLOGY  
50 MEMORIAL DRIVE  
CAMBRIDGE,  
MASSACHUSETTS 02139 1

DR. E. CINLAR  
O.R. DEPT.  
NORTHWESTERN UNIVERSITY  
EVANSTON,  
ILLINOIS  
60201 1

DR. GUY C CORYNEN  
L. 156 UNIV OF CALIFORNIA  
LAWRENCE LIVERMORE LABORATORY  
P. O. BOX 808  
LIVERMORE, CALIFORNIA  
94550 1

DR. MICHAEL A. CRANE  
CONTROL ANALYSIS CORPORATION  
800 WELCH ROAD  
PALO ALTO, CALIFORNIA 94304 1

DR. D. F. CALEY  
STATISTICS DEPT. (I A S)  
AUSTRALIAN NATIONAL UNIVERSITY  
CANBERRA, A. C. T. 2606  
AUSTRALIA 1

HSU DER-ANN 1  
 SCH OF ENGR./APPLIED SCI.  
 DEPT. OF CIVIL & GEOLOGICAL ENGR.  
 THE ENGINEERING QUADRANGLE  
 PRINCETON  
 NEW JERSEY 08540

ASSISTANT DEAN EAV ELDREDGE 1  
 SCHOOL OF BUSINESS ADMINISTRATION  
 UNIVERSITY OF EVANSVILLE  
 EVANSVILLE  
 INDIANA  
 47702

DR. G. W. FISHMAN 1  
 CURRICULUM IN O. R.  
 UNIVERSITY OF NORTH CAROLINA  
 PHILLIPS ANNEX, CHAPPEL HILL  
 NORTH CAROLINA  
 27514

DR. A. V. HOLDEN 1  
 DEPARTMENT OF PHYSIOLOGY  
 THE UNIVERSITY  
 LEEDS LS2 9JT  
 ENGLAND

DR. EUGENE C. HOMER 1  
 MANAGEMENT SCI. & ENGINEERING DEPT.  
 C.W. POST COLLEGE  
 OF LONG ISLAND UNIVERSITY  
 GREENVALE, NEW YORK  
 11548

DR. D. VERE JONES 1  
 DEPT. OF MATHEMATICS,  
 VICTORIA UNIVERSITY OF WELLINGTON,  
 P. O. BOX 196  
 WELLINGTON, NEW ZEALAND

J. M. LIITTSCHWAGER 1  
 SYSTEMS DIVISION  
 COLLEGE OF ENGINEERING  
 THE UNIVERSITY OF IOWA  
 IOWA CITY, IOWA  
 52242

Y. W. DE KWAADSTENIET 1  
 DEPARTMENT OF BIOLOGY  
 FREE UNIVERSITY  
 DE BOELELAAN 1087  
 AMSTERDAM-BUITENVELDER  
 THE NETHERLANDS

JACK P. LANCOLT 1  
 DEFENCE & CIVIL INST. OF ENVIR. MED  
 1123 SHEPARD AVE. WEST  
 PO BOX 2000 DOWNSVIEW  
 ONTARIO,  
 CANADA

MR. FRANK MCNOLTY  
1142 PCME AVE.  
SUNNYVALE, CA  
94087

1

DR. P. A. F. MCGRAN  
STATISTICS DEPT. (I A S)  
AUSTRALIAN NATIONAL UNIVERSITY  
CANBERRA, A. C. T 2606  
AUSTRALIA

1

G. W. MORRISON  
OAK RIDGE NATIONAL LABORATORY  
OAK RIDGE, TENNESSEE  
37830

1

MR. BRADLEY NICKY  
USDA - FOREST SERVICE  
P. O. BOX 5007  
FIVERSIDE  
CALIFORNIA  
92507

1

DR. DAVID CATES  
DEPT. OF STATISTICS  
HARVARD UNIVERSITY  
SCIENCE CENTER, 1 OXFORD ST.  
CAMBRIDGE, MA.  
02132

1

Professor Emanuel Parzen, Director  
Institute of Statistics  
Texas A&M University  
College Station, TX 77843

1

MR ART PETERSON  
DEPT. OF BIOSTATISTICS SC-32  
UNIVERSITY OF WASHINGTON  
SEATTLE, WASHINGTON  
98195

1

DAVID W. ROBINSON  
CONTROL ANALYSIS CORPORATION  
800 WELCH ROAD  
PALO ALTO  
CALIFORNIA  
94304

1

C. H. SAUER (21-129)  
THOMAS J. WATSON RESEARCH CENTER  
P.O. BOX 219  
YORKTOWN HEIGHTS, NEW YORK  
10598

1

MR. C. A. STEELE JR 1  
 F.C. BOX 45  
 MAGNOLIA, MA  
 01930

PROF. P. SULLO 1  
 SCHOOL OF MANAGEMENT  
 RENSSELAER POLYTECHNIC  
 INSTITUTE  
 TROY, N.Y.  
 12181

DR. ROBERT TRAPPL 1  
 INSTITUT FÜR ALLGEMEINE UND  
 VERGLEICHENDE PHYSIOLOGIE DER  
 UNIVERSITÄT WIEN  
 SCHWARZSPANIERSTRASSE 17  
 A-1090 WIEN ÖSTERREICH (AUSTRIA)

PALL A. WILLIS 1  
 POLY TECHNICA  
 2824 W. GEORGE MASON  
 FALLS CHURCH, VA. 22042

TUNCAL M. YEGULALP 1  
 KRLMB SCHOOL OF MINES  
 918 S.W. MIDD  
 COLUMBIA UNIVERSITY  
 520 W. 120TH ST.  
 NEW YORK, N.Y. 10027

SHIEGKI YOKOYAMA 1  
 RESEARCH CENTER OF APPLIED  
 INFORMATION SCIENCES  
 TOHOKU UNIVERSITY  
 KATAHIRA-CHO 2-1,  
 SENDAI 980 JAPAN

Dean of Research 1  
 Code 012  
 Naval Postgraduate School  
 Monterey, Ca. 93940

Library (Code 55) 1  
 Naval Postgraduate School  
 Monterey, CA 93940



NO. OF COPIES

Professor Peter Lewis  
Code 55Lw  
Naval Postgraduate School  
Monterey, Ca. 93949

50

Mr. G. Shedler  
K53-282  
IBM Research Lab  
Cottle Road  
San Jose, Ca. 95193

25

R. J. Stampfel  
Code 55  
Naval Postgraduate School  
Monterey, Ca. 93940

1



U185082

DUDLEY KNOX LIBRARY - RESEARCH REPORTS



5 6853 01058029 3

U185084